

Corrigendum

to Tender CCICEDP/HW/TENDER/2010-11 dated 10.01.2011

The last date of tender is extended till 21.02.2011 till 3:00 PM. The tenders will be opened at 3:30 PM on 21.02.2011.

The following points in the tender may be read as :

<u>Sl. No.</u>	<u>Subject</u>	<u>Existing Terms</u>	<u>May be read as</u>
1.	RESIDENT ENGINEER	Required	The requirement of resident Engineer is waived off
2.	EMD / SECURITY DEPOSIT	Pay order/demand Draft	In addition to Pay order/demand Draft any vendor can also submit Bank guarantee /FD duly discharged in CCIC's favour . The format of Bank guarantee is enclosed
3.	Delivery in NCR	Delhi & NCR	Location of Delivery : 1. CCIC of India Ltd. 1, Tolstoy Marg, New Delhi 2. CCIC of India Ltd. Weavers Service Centre, Bharat Nagar, Delhi Location of Installation: 1. CCIC of India Ltd. 1, Tolstoy Marg, New Delhi 2. CCIC of India Ltd. Weavers Service Centre, Bharat Nagar, Delhi 3. CCIC of India Ltd. A-36, Sector 2, Noida
4.	SPECIFICATION OF DESKTOP ANNEXURE – III (DISPLAY)	18.5 inch TFT Digital Colour Monitor or above to support TCO-03 compliance. Monitor should be Energy Star 4.0 compliance with Kensington lock slot. EPEAT rated monitor preferably silver or above.	18.5 inch or above TFT Digital Colour Monitor to support TCO-05 compliance. Monitor should be Energy Star 5.0 compliance with Kensington lock slot.
5.	SPECIFICATION OF DESKTOP ANNEXURE – III (BUS ARCHITECTURE)	Integrated Graphics with 512MB RAM, 2 Full Height PCI, 1 Full Height PCI Express x1 and 1 PCI Full Height Express x 16	Integrated Graphics with dedicated 512MB RAM, 2 or more Full Height PCI, 1 or more Full Height PCI Express x1 and 1 or more PCI Full Height Express x 16

6.	SPECIFICATION OF DESKTOP ANNEXURE – III (BAYS)	5 Nos. (2 Nos. 5.25” Half Height & 1 3.5” Slot internally and 2 Nos. 3.5 inches for Hard Disk Drives)	4 Nos. (2 Nos. 5.25” Half Height and 2 Nos. 3.5 inches for Hard Disk Drives)
7.	SPECIFICATION OF DESKTOP ANNEXURE – III (PORTS)	10 USB Ports (2 in front, 6 rear, 2 internal), 4 SATA port (internal), 1 Serial Port, 1 Parallel Port, 1 PS/2 Keyboard and 1 PS/2 Mouse port, audio ports for microphone and headphone in front. 1 eSATA, 1 VGA, 1 Display Port (Allows Dual Independent Display using 2 monitors)	10 USB 2.0 Ports (2 in front, 6 rear, 2 internal), 4 SATA port (internal), 1 Serial Port, 1 Parallel Port, audio ports for microphone and headphone in front. 1 eSATA, 1 VGA Port, audio ports for microphone, line in and headphone in the back
8.	SPECIFICATION OF ENTRY LEVEL LASER PRINTER ANNEXURE – III (STANDARD MEMORY)	80-16 MB	16 – 80 MB
9.	SPECIFICATION OF ENTRY LEVEL LASER PRINTER ANNEXURE – III (TONER)	Separate Toner & Drum Cartridge; (Toner Can be change without changing the drum)	High volume Integrated Toner Cartridge
10.	SPECIFICATION OF ENTRY LEVEL LASER PRINTER ANNEXURE – III (PAPER HANDLING STANDARD / OUTPUT)	150 sheets	80 Sheets (60-80 gsm)
11.	SPECIFICATION OF ENTRY LEVEL LASER PRINTER ANNEXURE – III (PAPER TRAY)	1 (Plus 10 Sheet Priority feed Slot)	1 (Plus Priority feed Slot)
12.	SPECIFICATION OF ENTRY LEVEL LASER PRINTER ANNEXURE – III (PAPER TYPE SUPPORTED)	Paper (Laser, Plain, Photo, Rough, vellum) envelopes, labels, cardstock, transparencies, postcards	Paper (Plain & Bond), envelopes, labels, cardstock, transparencies, postcards

13.	SPECIFICATION OF ENTRY LEVEL LASER PRINTER ANNEXURE – III (OPERATION TEMPERATURE RANGE)	10 -35 Celsius	10 -35 Celsius / NORMAL Room Temperature
14.	SPECIFICATION OF ENTRY LEVEL LASER PRINTER ANNEXURE – III (POWER CONSUMPTION)	Not More Than 350 watts	Operation load : Approx. 600 watt
15.	SPECIFICATION OF HEAVY DUTY LEVEL LASER PRINTER ANNEXURE – III (STANDARD MEMORY)	16-32 MB	512MB & Above
16.	SPECIFICATION OF HEAVY DUTY LEVEL LASER PRINTER ANNEXURE – III (COPIER)	Twin Laser Beam Scanning & electro Photographic Printing 16/20 Copy per minute Zoom: 50-200% (in 1% step)	Twin Laser Beam Scanning & electro Photographic Printing 20 Copy & above per minute Zoom: 50-200% (in 1% step)
17.	SPECIFICATION OF HEAVY DUTY LEVEL LASER PRINTER ANNEXURE – III (OPERATION TEMPERATURE RANGE)	10 -35 Celsius	10 – 35 degree Celsius / NORMAL Room Temperature
18.	SPECIFICATION OF THERMAL PRINTER ANNEXURE – III (CPI)	15,20	This point is removed
19.	SPECIFICATION OF THERMAL PRINTER ANNEXURE – III (PRINT SPEED)	12 LPS	NORMAL : 150 MM/SEC
20.	SPECIFICATION OF THERMAL PRINTER ANNEXURE – III (INTERFACE)	RS-232, Bi-directional parallel, Dealer option: RS-485, USB, 10 Base-T I/F	USB

BANK GUARANTEE FORMAT FOR FURNISHING EMD / SECURITY DEPOSIT

To,

CCIC OF INDIA LTD.
Jawahar Vyapar Bhawan
1, Tolstoy Marg, Janpath
New Delhi 110001

Whereas
(hereinafter called the "tenderer") has submitted their offer
dated..... for the supply of
..... (hereinafter
called the "tender") against the purchaser's tender enquiry No.
..... KNOW ALL MEN by these presents that WE
..... Of
having our registered office at
..... are bound unto (hereinafter
called the "Purchaser) in the sum of
..... for which
payment will and truly to be made to the said Purchaser, the Bank binds itself, its
successors and assigns by these presents. Sealed with the Common Seal of the said
Bank this..... day of20.....

THE CONDITIONS OF THIS OBLIGATION ARE:

1. If the tenderer withdraws or amends, impairs or derogates from the tender in any respect within the period of validity of this tender.

2. If the tenderer having been notified of the acceptance of his tender by the Purchaser during the period of its validity:-
 - a) If the tenderer fails to furnish the Performance Security for the due performance of the contract.
 - b) Fails or refuses to accept/execute the contract.

WE undertake to pay the Purchaser up to the above amount upon receipt of its first written demand, without the Purchaser having to substantiate its demand, provided that in its demand the Purchaser will note that the amount claimed by it is due to it owing to the occurrence of one or both the two conditions, specifying the occurred condition or conditions.

This guarantee will remain in force upto and including 45 days after the period of tender validity and any demand in respect thereof should reach the Bank not later than the above date.

.....
(Signature of the authorised officer of the Bank)

.....
.....
Name and designation of the officer

.....
Seal, name & address of the Bank and address of the Branch